

BARRIER DOORS

SUPERIOR | BIRCHGROVE | FEDERATION | PADDINGTON | HARRINGTON | BALMAIN



6 EASY STEPS TO SELECT & ORDER YOUR BARRIER DOOR

HOW TO ORDER YOUR CUSTOM BUILT BARRIER DOOR

(1) CHOOSE YOUR BARRIER DOOR STYLE

Below is the range of Barrier Door styles.



SUPERIOR

Minimum Size - 1810mm H x 507mm W Maximum Size - 2500mm H x 1300mm W High quality frame with 316 grade stainless steel mesh



FEDERATION

Minimum Size - 1940mm H x 760mm W Maximum Size - 2120mm H x 920mm W High quality frame, decorative panel insert and standard fibreglass screen



HARRINGTON

Minimum Size - 1850mm H x 760mm W Maximum Size - 2120mm H x 920mm W High quality frame, decorative panel insert and standard fibreglass screen



BIRCHGROVE

Minimum Size - 1510mm H x 507mm W Maximum Size - 2512mm H x 1365mm W High quality frame, diamond pattern panel insert and standard fibreglass screen



PADDINGTON

Minimum Size - 1950mm H x 760mm W Maximum Size - 2120mm H x 920mm W High quality frame, decorative panel insert and standard fibreglass screen



BALMAIN

Minimum Size - 1833mm H x 760mm W Maximum Size - 2120mm H x 920mm W High quality frame, decorative panel insert and standard fibreglass screen

② CHOOSE YOUR COLOUR COMBINATIONS


COMBINATIONS			
Door			e & Optional Closer
	White		White
	White Birch		White Birch
	Primrose		Primrose
	Stone Beige		Stone Beige
	Paperbark		Black
	Dune		Brown
	Surf Mist		★ Woodland Grey
	Silver (Anodised)		* Hawthorn Green
	APO Grey	* Colou	ır options not
	Notre Dame	avallable	e for sliding doors
	Deep Ocean		
	Charcoal		
	Black		
	Monument		
	Jasper		

Brown

Woodland Grey Hawthorn Green

MEASURE & RECORD YOUR DETAILS

3 MEASURE YOUR DOOR OPENING








HEIGHT





Y	mm
Z	mm


WIDTH





4 LOCK/HANDLE

Check the space between your existing door lock and the outside face of your jamb. The gap required to ensure your new barrier door fits is minimum 20mm.



⑤ HANDLE SIDE

From the outside looking in, choose your handle side. *Usually the same side as your existing door.*





L/H Side






R/H Side

6 HANDLE HEIGHT

How high would you like your handle?






For existing doors


Measure from sill to middle of lock tongue



600mm min. - 1500mm max.

HANDLE DIMENSIONS





LOCK INSTALLATION TROUBLE SHOOTING



Watch the Video:



HINGED BARRIER DOOR ORDER FORM

(For New and Replacement Doors)



STANDARD INCLUSIONS Using the guide to the left complete this form to order your new barrier door. Note: Take extra care with your measurements as your door cannot be altered once it has been made. 1. Select door style What style of door would you like? * Superior Birchgrove Balmain Federation 2: Max 2500H x 1300W *Large SUPERIOR doors may require a mid support rail. 2. Which colour finish would you like your door (options on page 2) 3. Enter your door opening sizes in column A OR your existing door size in column B A B **Existing Door Size** Door Opening

	200	. ороги	9	Les	s	-/	D00. (5120
Y 7			mm			OF ARC	CHITRA Ste	
			mm					
L			mm	-10	mm			mm
R			mm	-10	mm			mm
T			mm	-7n	nm			mm
C			mm	-7n	nm			mm
В			mm	-7n	nm			mm
4. Select	your	handle	colour		Available	colours	shown	below
		Primrose	Stone	Black	Brown	Wood	Hawth.	
	Birch	\bigcirc	Beige	\bigcirc		Grey	Green	
5. Select	vour	handle	side. (F	From 1	he outsi	de lookin	ıa inwar	ds)

6. Enter your handle height. (From bottom of sill to centre of lock tongue)
min 600mm / max 1500mm
mm

RIGHT

(NOTE: For Triple Lock option - fittings will be located at an equal distance above and below this nominated handle height)

For warranty details please visit www.cowdroy.com.au

OPTIONAL ACCESSORIES

Optional Extras not for Individual Sale

A. Extra security - Triple lock (Hinged Doors Only)	
3. Stainless Steel Mesh	\bigcirc
Upgrade for all doors. Included as Max height 2507mm (Not availab	
C. Pet Mesh Not available for Superior Door	0
D. Perspex Pet Door (Available for Superior & Birchgrove Doors Only) HINGE HANDLE SIDE SIDE	SMALL MEDIUM LARGE
Select colour (Available colours White White Primrose Stone Black Beige	

Please email your completed form to: cowdroy@cowdroy.com.au

Order No.	
Customer name	
Customer contact No.	
Store	
Suburb	
Staff member	
Date	
Customer Signature	*

Once order is placed with Cowdroy no further alterations can be made after 24 hours of receipt.


^{*} By signing this I understand that the measurements I have provided are correct.

SLIDING BARRIER DOOR ORDER FORM

(For Replacement Doors only)



1 MEASURE YOUR EXISTING DOOR



HEIGHT

L	mm
R	mm

DIAGONAL

Z	mm
V	
Y	mm

WIDTH

T	mm
C	mm
В	mm

② CURRENT HANDLE SIDE

From the outside looking in, nominate your handle side.







R/H Side

3 HANDLE HEIGHT




HEIGHT



600mm min. - 1500mm max.

Measure from bottom of door frame to centre of lock



Supplied with 4 x concave rollers (2 x top & 2 x bottom)

STANDARD INCLUSIONS

OIANDAND INGEGOR	3113
1. Select door style * Superior Birchgrove	2. Confirm your door sizes (Make-to size)
	L
	R
	Z mi
	Y mi
1: Max 2500H x 930W Max 2512H x 1365W Min 1800H x 500W Min 1510H x 507W	mı
2: Max 2500H x 1300W Min 1800H x 900W	B
*Large SUPERIOR doors may r	equire a mid support rail.
3. Enter door colour (Refer colour range on page 2.)	
4. Current handle side (From the outside looking inwards)	LEFT RIGHT
5. Enter handle height (From bottom of door frame to centre of lock)	Milita White Sciences State State State
6. Select handle colour (Available colours shown below)	White White Primrose Stone Black Bro
OPTIONAL EXTRAS	(Optional Extras not for Individual Sale
A. Pet Mesh (Birchgrove Door only,	
B. Perspex Pet Door (Available for Superior & Birchgrove	SMALL
Doors Only)	MEDIUM
HINGE HANDLE SIDE	LARGE
C. Bug Seal	\bigcirc
Order No.	
Customer name	
Customer contact No.	
Store	

Once order is placed with Cowdroy no further alterations can be made after 24 hours of receipt.

Suburb

Date

Staff member

Customer Signature

By signing this I understand that the measurements I have provided are correct and that this is for a replacement door only. No tracks will be included.

The Cowdroy Barrier Door range offers a selection of standard and custom built quality screen doors in a range of designs and colours that will enhance and compliment the look of your home.

All doors come with the following:

- Heavy duty extruded aluminium frame
- Double cylinder lock with deadlocking and privacy functions
- 2 hinges per door screws for wood frame
- 21 standard powder coat colours to choose from
- A range of popular optional accessories
- Custom made to your sizes
- Australian made
- See www.cowdroy.com.au for warranty details

SUPERIOR DOOR

Features a high quality and impact resistant #316 grade woven stainless steel mesh fitted inside the frame by way of a double locking wedge and an acrylic adhesive.

The "Superior" door combines strength and quality with an unobtrusive view.

BIRCHGROVE

Popular diamond grille door made to order.

PADDINGTON, FEDERATION, HARRINGTON, BALMAIN

Features a decorative cast aluminium panel fitted within the frame and finished with a quality fibreglass mesh.

There are 4 highly popular panel inserts available in the range, each of which are finished in the same durable powdercoat as the frame.

This range combines elegance with quality and will give your home a new look.

BARRIER DOOR OPTIONAL EXTRAS NOTE: OPTIONAL EXTRAS NOT FOR INDIVIDUAL SALE



Upgrade your lock option to an Austral EKIT triple lock for increased locking security.



Add a pneumatic door closer to automatically return your door to its closed position.




Pet doors are ideal for those requiring pet access

Available in 3 sizes Small (190x240mm), Medium (255x305mm) & Large (260x400mm)




Consider a bug seal to help keep out those unwanted pests. All bug seals are finished in the same colour as your door.













For increased security upgrade your mesh to Stainless Steel



Protect your pet by upgrading your mesh to a pet-friendly durable mesh.







3 Easy Steps to a Custom Built Barrier Door

1

FOLLOW THE BROCHURES SIMPLE INSTRUCTIONS TO HELP MAKE YOUR SELECTION

Measure carefully as per instruction listed, check twice and write clearly with a black pen.

2

TAKE YOUR COMPLETED FORM TO THE STORE YOU WISH TO ORDER FROM

Ensure you have correctly filled out all the required fields and that you have nominated your door style, colour and desired options.

3

YOUR ORDER WILL BE DELIVERED TO YOUR LOCAL STORE FOR CUSTOMER PICK UP

Delivery is 10 working days for east coast metrololitan areas, 10-15 working days for east coast regional areas and up to 20 working days for all other areas in Australia.

Cowdroy is an Australian company supplying industry leading products across residential and commercial properties.

Established in 1890, Cowdroy specialises in door tracking systems, weather seals, insect screen, replacement wheels & rollers and more products for a wide range of applications.

For all our product information visit the Cowdroy website at: www.cowdroy.com.au

HEAD OFFICE SYDNEY

38 Redfern St Wetherill Park, NSW 2164 Phone: (02) 9604 3000 Fax: (02) 9604 8129 Sales Fax: (02) 9609 3694

Perth

1 Modal Crescent Canning Vale, WA 6155 Ph: (08) 9455 5354 Fax: (08) 9455 5461

WEBSITE

www.cowdroy.com.au www.cowdroy-insectscreen.com.au

sales@cowdroy.com.au

NATIONAL CALL

1800 COWDROY (1800 269 376)

Christchurch NZ

56 Treffers Road, Sockburn Christchurch 8042 Phone: (03) 943 2060 Fax: (03) 943 2061

Auckland NZ

18 Kerwyn Ave, East Tamaki Auckland 2013 Phone: (09) 274 7279

Fax: (09) 274 4453





