

General

FireMax products Come with 20 Year warranty from date of purchase.

Store store in dry clean area that minimises the risk of damage.

FireMax products should not be exposed to weather prior to installation.

When stored outdoors leave in original packaging and cover to protect from rain and dust.

Store in area away from moving equipment that can cause damage.

Exterior installations should be covered with in 2 weeks.

Product	Application
FireMax A10 G1	Group 1 Rigid insulation AS9705 Sheet Size 1200x 2270 (2.72m2 per sheet) 25mm R1.25 (10per pack) 30mm R1.30 (8 per pack) 40mm R1.75 (6 per Pack) 45mm R2.00 (4 per pack) 50mm R2.25 (3 or 5 per pack) 60mm R3.00 (4 per pack) 70mm R3.50 (3 per pack) 80mm R3.80 (3 per pack) 100mm R4.6 (3per pack)
FireMax A10 Plus R4.00	Non-combustible Rigid insulation AS9705 R4.00 10mm Thick Sheet size 1200mm x 600mm (pack 45) FG Face Sheet size 1000mm x 700mm (pack 90) AF Face
FireMax FMX Sarking / Building Wrap	Non-combustible AS1530.1 AS4200 class 2 1200mm x 50m Permeable and non-permeable
Insulation Fasteners	Aluminium Foil Tape
25mm	48mm x 50m
30mm	72mm x 50m
40mm	96mm x 50m
50mm	
60mm	
70mm	
80mm	
90mm	
100mm	
.27Cal High velocity Charge	
.27 Cal Low velocity Charge	

FireMax products are independent tested by 3rd accredited labs to NCC requirements
Copies are available on request.

Product	Result	Lab / Accreditation / report number
FireMax A10 G1		
AS9705	Group 1	Ignis labs ilac INGL-3061-06-I01-R00
AS1530.3	0 spread of flame 0 smoke growth 0 Ignition	Ignis Labs NATA INGL 3016-0300-4R00
AS4849	W/Km 0.0020-22	Branz NATA-ilac D118542-01
A10 Plus		
AS1530.1	Deemed non combustible	Ignis Labs NATA IGNL-5028-01-02-101-R00 Face Ignis labs NATA IGNL-5025-01-01C-101-R00 Foil Ignis labs NATA IGNL-6205-01-10C-101-R00 Core
AS1530.3	0 Spread of flame index 3 Smoke growth index	Ignis Labs NATA
AS9705	SMOGRArc 0.021 Smoke release 0.1 Zero Flashover	SGS ilac CZF-2403000286FF-02 Full Room Burn
AS4859	W/Km 0.00210	Branz NATA / ilac DI16936-01
ASTM E96/E96M-2022	Class 2 0. MP 012 µg/N Mean permeance	AWTA NATA 24-001-223
FMX Building Wrap		
AS1530.1	Non-Combustible	Ignis Labs NATA IGNL-5028-01-02-101-R00 Face Ignis labs NATA IGNL-5025-01-01C-101-R00 Foil
AS4200	Class 2	AWTA NATA 23-02460
AS1530.2	Pass	INGL4080-02-01
AS1530.3	0 smoke growth 0 spread of flame 0 Ignition	AWTA NATA 23-002-462 ATWA NATA 23-0022-609
AS42840-2009	Wind load	TG922-FMX001

With all care taken the information is correct at time of issue,
We reserve the right.

To change, remove / update / add / delete products at our discretion.

Renew testing as required by NCC or product improvements

Test reports provided are intended person only. Not for general distribution.

We recommend to evaluate the suitability of the product prior to installation