



FIRST FLOORS

Premium Australian Engineered Hardwood





FIRST FLOORS
Premium Australian Engineered Hardwood

SHOWCASE THE NATURAL BEAUTY OF OUR AUSTRALIAN SPECIES WITH OUR NEW UV LACQUER RANGE OF FLOORING.

The new 'Invisible' UV Lacquer finish helps to bring out the warm, gentle feel of our Blackbutt flooring while the addition of non-yellowing agents ensure that your floor will maintain a clear look throughout its lifetime.

The vibrant richness of colour found in Spotted Gum flooring lends itself to a traditional UV Lacquer finish which helps to accentuate the impressive spectrum of colours available in this timber.

PRODUCT SPECIFICATIONS

Species	Blackbutt	Spotted Gum
Coating	Invisible UV Lacquer	UV Lacquer
Edge Profile	Micro Bevel	Micro Bevel
Surface	Light Brushed	Light Brushed
Finish	Matte	Matte
Locking System	Tongue & Groove (ends and sides)	Tongue & Groove (ends and sides)
Size	135mm	135mm
Thickness	14mm (Lamella Nominal 4mm)	14mm (Lamella Nominal 4mm)
Core	Hevea	Hevea
Length	1,830mm & 2,190mm	1,830mm & 2,190mm
Packaging 135mm	8 rows per box, max of 3 nested rows	8 rows per box, max of 3 nested rows
Coverage	1,830mm - 1.976m ² 2,190mm - 2.365m ²	1,830mm - 1.976m ² 2,190mm - 2.365m ²
Installation	Glue Down, Floated	Glue Down, Floated






LUXURY IN ANY SPACE BRINGS THE FEELING OF STYLE AND SOPHISTICATION, AND STARTS FROM THE FLOOR UP.



First Floors is a premium engineered floor, with its slightly textured surface and modern matte oil finish it is the perfect choice for interiors of distinction. With the coastal golden rays of Blackbutt, the attractive wild warmth of Spotted Gum and the deep rich tones of Roasted Peat this boutique collection offers only the finest from our Australian species.

Roasted Peat, is an Australian Hardwood that has been through a thermal modification process that uses no chemicals to permanently alter the structure of the wood fibre. This process greatly increases the stability and density of the hardwood, as well as locking in the gorgeous deep earth to chocolate brown colour tones.

We use a stable hevea core along with native Australian hardwood lamellas to provide a consistent and sturdy construction in all our flooring.

Choose from one of our prefinished options for long lasting and easy-to-maintain protection or take advantage of the high degree of flexibility offered by our raw timber to perfectly match your floor to its surroundings.





PRODUCT SPECIFICATION

Species	Blackbutt, Spotted Gum	Roasted Peat
Coating	UV Craft Oil	UV Craft Oil
Edge Profile	Micro Bevel	Micro Bevel
Surface	Light Brushed	Non-Brushed
Finish	Matte	Matte
Locking System	Tongue & Groove (ends and sides)	Tongue & Groove (ends and sides)
Size	135mm 180mm	- 180mm
Thickness	14mm (Lamella Nominal 4mm)	14mm (Lamella Nominal 4mm)
Core	Hevea	Hevea
Length	1,830mm & 2,190mm	1,830mm & 2,190mm
Packaging 135mm	8 rows per box, max of 3 nested rows	-
Packaging 180mm	6 rows per box, max of 2 nested rows	6 rows per box, max of 2 nested rows
Coverage 135mm	1,830mm - 1.976m ² 2,190mm - 2.365m ²	-
Coverage 180mm	1,830mm - 1.976m ² 2,190mm - 2.365m ²	1,830mm - 1.976m ² 2,190mm - 2.365m ²
Installation	Glue Down, Floated	Glue Down, Floated

*Blackbutt & Spotted Gum 135mm x 14mm only is available in a RAW uncoated, pre-sanded, square edge option. To be stained and finished on-site.

400MM WIDE OAK ENGINEERED FLOORING

PRODUCT SPECIFICATIONS

	NATURAL (Pre-finished Stain)	RAW (Uncoated)
Species	European Oak	European Oak
Coating	Invisible UV Lacquer	RAW Coated by installer
Width	400mm	400mm
Thickness	20mm (Lamella Nominal 5mm)	20mm
Length	2,800mm & 5,000mm	2,800mm & 5,000mm
Construction	Multi Ply - Eucalyptus Substrate and Birch Back Layer	Multi Ply - Eucalyptus Substrate and Birch Back Layer
Locking System	Tongue & Groove, End Matched, Micro Bevel Edge	Tongue & Groove, End Matched, Square Edge
Surface	Light Brushed	Smooth
Install Suitability	Glue Down	Glue Down
Coverage	2,800mm - 2.24m ² 5,000mm - 4.0m ²	2,800mm - 2.24m ² 5,000mm - 4.0m ²
Packaging	2 rows per box, some boxes will contain nested rows. No less than 1000mm for the nested length.	2 rows per box, some boxes will contain nested rows. No less than 1000mm for the nested length.





FIRST FLOORS
Premium Australian Engineered Hardwood



FIRST FLOORS

Premium Australian Engineered Hardwood

3/9 Hutchinson Street, Burleigh Heads QLD 4220
www.firstfloors.com.au | sales@firstfloors.com.au